



SYDNEY TMS
Transcranial Magnetic Stimulation

Standard Consultation



Date of birth	[Redacted]	Practitioner	Jason Pace
Medicare No.	[Redacted]	Appointment	13 Sep 2024, 3:30PM
Address	[Redacted] Australia	Created	13 Sep 2024, 3:20PM
		Last updated	13 Sep 2024, 5:10PM

Treatment

Treatment given today	<input type="checkbox"/> Theta Burst <input checked="" type="checkbox"/> Left Sided <input type="checkbox"/> Right Sided <input type="checkbox"/> Midline (OCD)
Treatment Dose	rTMS 10Hz 19 minutes treatment (Protocol A) 50%
Changes to treatment/Plan	

Presentation

Course	<input type="checkbox"/> 1 <input checked="" type="checkbox"/> 2 <input type="checkbox"/> 3 <input type="checkbox"/> Maintenance
Treatment Number	21 of 30 approved
Practitioner	ST

Assessment of mental state

█ attended clinic for session today. RN ST communicating with █ to confirm treatment regime. Once █ was settled in chair RN ST placed coil and communicated with █ to affirm if positioning of coil was inline with previous clinicians positioning which █ affirmed that was.

RN ST dialled up protocol J on the machine as this is what was documented in previous clinicians notes. RN ST began treatment at 45% and █ confirmed that it sounded like the same treatment that she normally has. RN ST checked the screen to dial up to 50% treatment dose and RN ST noted that the total time of treatment for this protocol is 35 minutes.

RN ST sought clarification from █ regarding the duration of treatment as RN ST stated that the J protocol lasts for 35 minutes and RN ST noted that previously █ was on protocol A (rtms 10hz for 19 minutes). █ informed RN ST that she was under the assumption that she was having 20 minutes treatment and had recently discussed this with JP during recent review. RN ST stopped J protocol and commenced A protocol (19 minutes). RN ST contacted CNS SM to clarify protocols. RN ST looked at photos of protocols and noted that the settings were almost the same besides a difference of 5 pulses in a train and a difference of 14 seconds in the inter train interval.

█ has increasingly become distressed during treatment and break between treatment. █ was requesting clarification from the nurses on what protocol they were using and advised that I would not be able to speak to them until next Wednesday. █ advised that she would not commence her second treatment until we sought clarification from JP on the protocol to be used for her treatment. RN ST advised that JP was currently with a client, however they would send him a message in the meantime.

█ asked to be left alone and could be seen and heard talking with her mother on the telephone and becoming distressed. RN ST contacted RM to discuss the situation and what had occurred. During communication with RN RM █ requesting RN ST to place phone call on loudspeaker and informed RN RM of the situation and RN RM provided further explanation of that has occurred.

RN ST received call from JP and advised him of the situation that occurred. JP informed RN that the protocol that would have been used is Protocol A (rTMS 10hz 19 minutes) as he no longer use Protocol J (35 minutes) as appointments would need to be scheduled for 1 hour.

█ requested a moment alone so she can speak to her mother again so RN ST left the room. █ then requested RN presence and advised that she would have the 20 minute

treatment. [REDACTED] reiterated that she was not happy about the situation and that a clerical error has caused her such distress this afternoon. She requested that this matter be addressed as she feels like she has lost her trust in the staff. RN ST advised that this the events that occurred today have been documented and that JP was aware of the situation. RN ST informed [REDACTED] that she can request to speak to JP to discuss this matter directly if she wishes.

Otherwise logical, coherent, polite, well kept casually dressed in black leggings and a black hoodie, behaviour cooperative, distressed, crying settled with good eye contact, speech was normal, using profanity at times, affect was reactive, emotional, GCS 15/15, insight and judgement appear intact.

Tolerated treatment well with no pain or discomfort.
Watching TV during her apps

Changes to presentation

Change in Risk Factors

Risk Factors

- Medication Changes
- Drug Use
- Problem with previous treatment
- Metal Implants
- Pregnancy

Depression (or other) Scales

Initial MADRS score & date 07/08/24: 41

Initial HAMd17 score & date

Initial IDS-SR score & date

Initial Treatment PHQ-9 07/08/24: 24

Mid treatment MADRS score & date

Mid treatment HAMd17 score & date

Mid treatment IDS-SR score & date

Mid Treatment PHQ-9

End of treatment MADRS score & date

End of treatment HAMd17 score & date

End of treatment IDS-SR score & date

End of Treatment PHQ-9

OTHER SCALES (e.g HADS) score & date